MISSISSIPPI STATE DEPARTMENT OF HEALTH
BUREAU OF PUBLIC WATER SUPPLY 2013 JUN -6 AM 9: 21

CCR CERTIFICATION FORM
CALENDAR YEAR 2012

MORIH | PRODUCT | WHIPE ASSOCIATION Public Water Supply Name

410001, 410024, 410025, 4100 36, 4100 40, 410041, 410042, 410043

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. Since this is the first year check all bayes that apply

	20111 to 1110111. Heast
X	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill) Email message (MUST Email the message to the address below) Other
	Date(s) customers were informed: (6/4/3.0)3///
	CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery
	Date Mailed/Distributed: / /
	CCR was distributed by Email (MUST Email MSDH a copy)  Date Emailed: / /  As an attachment
X	CCR was published in local newspaper. (Attach copy of published CCR or pract of published.)
	Name of Newspaper: DAILY SOURNAL TUPELO, MS.  Date Published: 4/4/2013
	CCR was posted in public places. (Attach list of locations)  Date Posted: / /  CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REQUIRED):
I here public the SI the was Depart Name	CIFICATION  Aby certify that the 2012 Consumer Confidence Report (CCR) has been distributed to the customers of this cwater system in the form and manner identified above and that I used distribution methods allowed by the cater quality monitoring data provided to the public water system officials by the Mississippi State timent of Health, Bureau of Public Water Supply.  Clemon Mayor, Owner, etc.)
eliver)	Of Send via II S. Donald a.

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to: Melanie. Yanklowski@msdh. state. ms. us

2013 JUN -6 AM 9: 21

# 2012 Annual Drinking Water Quality Report North Lee County Water Association PWS#: 410001, 410024, 410025, 410035, 410040, 410041, 410042, 410043 April 2013

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to providing you with information because informed customers are our best allies. Our water source is from wells drawing from the Eutaw, Lower Eutaw, Eutaw-McShan and Gordo Formation Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the North Lee Water Association have received lower to moderate rankings in terms of susceptibility to contamination.

If you have any questions about this report or concerning your water utility, please contact Ricky Durham at 662.706.4123. We want our valued customers to be informed about their water utility. If you want to learn more, please join us at any of our regularly scheduled meetings. They are held on the first Tuesday of the month at 7:00 PM at the Birmingham Ridge Fire Department located at 947 CR 1948, Saltillo, MS. This report will not be mailed out to each individual customer but you may pick up a copy in the office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2012. In cases where monitoring wasn't required in 2012, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards.

#### Monitoring Violations:

In January 2012 our system # 410001 pulled 1 sample that tested positive for total coliform. Also in August 2012 our system # 410025 pulled 12 samples that tested positive. All resample were clear. All corrective actions were taken and system was returned to compliance. Also on system #410025, we received a monitoring violation for chlorine for not taking the proper number of samples in May & June of 2012.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risks from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Crytosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

## \*\*\*\*\*April 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING\*\*\*\*\*

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at 601.576.7518.

The North Lee County Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Your CCR will not be mailed to you; however you may obtain a copy by calling (662) 869-1223.

Cantanalar	410001	<del></del>			TEST RESI	LIS			
Contaminant	Violation Y/N	n Dat Collec		Level etected	Range of Detects o # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MC	L Likely Source of Contamination
Microbiol	ogical (	Contan	inan	ts					
Total Coliform     Bacteria	N	Januar	y Pi	sitive	1	NA	C	b	ence of coliform Deacteria in 5% of nonthly samples
Inorganic	Contan	ninant	8						
10. Barium	N	2011*	.0	)	.0609	ppm	2		Discharge of drilling wastes; discharge from metal refineries
14. Copper	N	2009/11	* .3		0 ppm 1.3 AL=		systems; erosion of natural deposits; leaching from wood		
16. Fluoride	N	2011*	.12		No Range	ppm	4		preservatives  4 Erosion of natural deposits; wat additive which promotes strong teeth; discharge from fertilizer and aluminum factories
I7. Lead	N	2009/11	*   1		0	ppb	0	AL≂	
20. Nitrite (as Nitrogen)	N	2011*	.03		No Range	ppm	1		Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Disinfection	n By-Pr	oduct	8						
Chlorine	N 2	2012	.8	.30	– 1.4 mg/l		0 MR	DL = 4	Water additive used to control microbes
		•			TEST RESU	LTS			
	Violation Y/N	Date Collecte			TEST RESU  Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
ontaminant	Violation Y/N	Collecte		evel	Range of Detects or # of Samples Exceeding	Unit Measure	MCLG	MCL	Likely Source of Contamination
PWS ID # 4 ontaminant  norganic (	Violation Y/N	Collecte		ected	Range of Detects or # of Samples Exceeding	Unit Measure	MCLG		Discharge of drilling wastes;     discharge from metal refineries:
norganic ( ). Barlum  3. Chromium	Violation Y/N  Contami	inants 2012	.12 .7	evel ected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment			Discharge of drilling wastes;     discharge from metal refineries;     erosion of natural deposits     Discharge from steel and pulp
ontaminant norganic (	Violation Y/N  Contami	Collecte inants 2012	d De	evel ected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	2		Discharge of drilling wastes;     discharge from metal refineries;     erosion of natural deposits     Discharge from steel and pulp mills; erosion of natural deposits

**Disinfection By-Products** 

2012

.9

.20 -- 1.6

mg/l

MRDL = 4

Water additive used to control microbes

Chlorine

	) # 4100	25			TEST F	RESU!	LTS				
Contaminan			Date Collected	Level Detected	I mange of Dot		nples Measure		MCL	Likely Source of Contamination	
Microb	iological	l Con	tamin	ants							
Total Colif Bacteria		J	une ugust	Monitoring	12		NA	0	b:	ence of coliform acteria in 5% of onthly samples	Naturally present in the environmer
Inorgan	ie Cont	amin	ants								
8. Arsenic	N		012	.6	No Range		ppb	n/a	10	from orchards	ural deposits; runo ; runoff from glass s production waste
10. Barium	N	20	)12	.419	.09419		ppm	2	2	Discharge of discharge from	Irilling wastes;
13. Chromiun			)12	1	.08 - 1		ppb	100	100	Discharge from	n steel and pulp of natural deposits
4. Copper	N		009/11*	.2	0		ppm	1.3	AL=1.3	Corrosion of h systems; erosi	ousehold plumbing
7. Lead	N		12	.146	.116 – 1.46	1	opm	4	4	Erosion of natu	ural deposits; water promotes strong e from fertilizer factories
r. Leau	IV	20	09/11*	1	0	F	opb	0	AL=15		ousehold plumbing
Disinfec	tion By-	Prod	ucts								
hlorine	Y Monitoring	2012	.9	0 –	1.4	mg/l		0 MRD	L=4 W	ater additive use	d to control

PWS ID#	410035			TEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants			·	I		
10. Barium  14. Copper	N	2011*	.16	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
17. Lead			.3	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
	N	2009/11*	2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
20. Nitrite (as Nitrogen)	N	2011*	.03	No Range	ppm	1	1	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits

Disinfectio	n By	-Produc	ts					
82. TTHM [Total trihalomethanes]	N	2011*	2.85	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2012	.9	.5 – 1.2	mg/l	0	MRDL = 4	Water additive used to control microbes

PWS ID #	Violation	T 5-4		TEST RES				
Oontainmant	Y/N	Date Collected	Level Detected	Range of Detects # of Samples Exceeding MCL/ACL/MRDL	Measure -ment	MCLG	MCI	Likely Source of Contamination
Inorganic	Contam	inants						
10. Barium  14. Copper	N	2011*	.17	No Range	ppm	2	?	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
17. Lead		2011*	.4	0	ppm	1.3	AL=1	
22. Thallium	N	2011*	2	0	ppb	0	AL≃	
zz. manium	N	2011*	.5	No Range	ppb	0.5		Leaching from ore-processing sites; discharge from electronics, glass, and drug factories
Disinfectio	n By-Pr	oducts						
32. TTHM Total rihalomethanes]	N 2	011* 2.	71 No	Range ppl		0	80	By-product of drinking water chlorination.
Chlorine	N 2	012 .9	.6	1.2 mg	n	0 MR		Water additive used to control microbes

Contaminant	Violation	T Bata			ULTS			
Containment	Y/N	Date Collected	Level Detected	Range of Detects # of Samples Exceeding MCL/ACL/MRDL	Measure -ment	MCLG	MC	L Likely Source of Contamination
Inorganic	Contam	inants						
14. Copper	N	2012	.4	0	ppm	1.3	AL=	1.3 Corrosion of household plumbin systems; erosion of natural deposits; leaching from wood preservatives
		2012	1	0	ppb	0	AL=	=15 Corrosion of household plumbin systems, erosion of natural deposits
Disinfectio	n By-Pr	oducts						
32. TTHM Total rihalomethanes]	N 2	012 2	.51 N	Range pp	)	0	80	By-product of drinking water chlorination.
Chlorine	N 2	012 1	.6	– 1.4 mg	/1	0 MR	DL = 4	Water additive used to control microbes

Contaminant	Violation Y/N	Date Collected	Level Detected	TEST RESU Range of Detects or # of Samples		MCLG	MCL	Likely Source of Contamination
····				Exceeding MCL/ACL/MRDL	-ment			
Inorganic	Contam	inants						
10. Barium	N	2012	.13	.1113	ppm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2012	2.6	.9 - 2.6	ppb	100	10	
14. Copper	N	2012	.3	0	ppm	1.3	AL=1.	3 Corrosion of household plumbin systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2012	.10	No Range	ppm	4	•	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Disinfectio	on By-Pr	oducts						
Chlorine	N 2	012 1	.8	1.1 mg/l		0 MRD	)L = 4 \	Water additive used to control nicrobes

PWS ID#		·		TEST RESU	LIS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
10. Barium	N	2012	.28	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper		2012	.8	No Range	ppb	100	100	
16. Fluoride	N	2012	.6	0	ppm	1.3	AL=1.3	Corrosion of household plumbin systems; erosion of natural deposits; leaching from wood preservatives
	N	2012	.158	No Range	ppm	4	4	Erosion of natural deposits; wat additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2012	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfectio	n By-Pro	oducts						
32. TTHM Total rihalomethanes]	·	012 2.8	32 No	Range ppb		0	80 B	y-product of drinking water nlorination.
Chlorine	N 20	)12 1	.7 -	- 1.2 mg/l		0 MRD		ater additive used to control

<sup>\*</sup> Most recent sample. No sample required for 2012.

Microbiological Contaminants:

(1) Total Coliforms. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

### Northeast Mississippi Daily Journal

#### 2013 JUN -6 AM 9: 2!

05/31/13

1242 S. Green Street P.O. Box 909 **Tupelo, MS 38804** 

Classified (662) 842-2622

Fax: (662) 620-8301

Email: classifieds@journalinc.com

Name:

JIM BANKER

Run dates:

06/04/13 to 06/04/13

Company:

NORTH LEE WATER ASSN.

Class:

1401

Address:

ATTN: JIM BANKER

Ad ID:

843877

1004 BIRMINGHAM RIDGE RD

Ad Taker:

Sales Person:

**JSH** 

Account ID:

SALTILLO, MS 38866 2224

C07

Account #:

2224

Inserts:

Telephone:

(662) 869-1223

Words:

2793

Fax:

(662) 869-1794

Lines:

184

E-mail;

nlcwa@att.net

Columns: Depth (Inches): 18.75

Check

Publications:

**Daily Journal** 

Name on Card

Last 4

Expire Date Number Amount

Payments: Method

Digits

Paid

Net Cost:

\$338.16

Card

Type

Paid Amount: - \$0.00

Amount Due: \$338.16

Publication	Sta	irt Sto	р	Inserts	Cost		
Daily Journal	06/04/13	06/04/13	1	\$338.16			
						•	
1							

Ad Notes

## 2013 JUN -6 AM 9: 21

# Northeast Mississippi Daily

LEGAL NOTICE

2014 ANNUAL DEFINITION OF THE ABOUTTION OF

As a traphotoly of which a product of the product o

10 s 41000	Nyim.	flate Checken	Level Descried	Hange of Evilence 2 of Samples Exceeding HOLACTIMPOL	Cod of Herasike Instal	TRAC	ri/L	Early Stanes of Continuation
LASIDESISM .		HUNU	l	neli/Activitor	AU	] ! <del>,</del>		d coolerin   Radicielly protect to
7570		Louising	Postero			٥	toctors: perditie	Sales(St.)
rganie Confi IPACOTI LODIEI Principo	14 14	5011 5004:11 5011	35	Or NO! 0 hos loange	pues Oyaa Oyaa	1,2	A(-1.)	Continue of Belling Water, Schröding from Index Principles, media in mortal disease.  Consider of American Principles of American General of Extra Copyright of American Social Index of Extra Copyright of Copyright
				for Trange	Lon Mes	1 8	A1-15	Openings of difficility and the second from the second of the original content of the second of the original content of the second of the original content of the second o
Gil Historia 19:11 Ulection Dy	Producis	7811	.63	No Stracto		1	1	
					93		IST RESU	Waker addition and the restations.
10 = \$100 unasoi		Culter fact	terel telected	Rouge of Bolerts  or or Samples  Foregoing  BOLEACERUSE	that of segaport mest	MUG	14.1	
iganic Conta Lo iri Ch minut.	11	2017 2017	1,	(1-1)	ipri PP.	100	100	Discharge of Arthologicapes, applicage their metal rendered school of model rendered to be located from the medical periods of the content of
ord ord	11	2005/11/	1		17/b Phile	-12-	AL-15	Consecut of acuseroid planting systems; eroson of apartia deposits
fection By	rrottuets	300	, ,	20:16	1981	1.2.	YEST RES	Valide / secultive : Bed to estation indicides.
i ID a 4500 Billion		:	Lessi Defectes	RAISE OF DESCRIPTION OF STREET OF SAMPLES OF	Unit of Heavens lavent	Mili	HC	in cy source of Colemania (see
ohiological dai Coltanii ena		Abats angus	Mantahing	13	e/A	1.	presence bacteria menting	of Conference ( Baltimine Conference or 15.55 - Cl. 3 - Other Conference or Computers.
gente Conti-	mina neg	2012	ų,	try famor 59 - 410	150 160s	ora 164	16	There of indeed disjoids must four probatic roof their give and one father indeed in the following probability in the following and the father indeed the following control of the following and the father indeed to the fath
ganic com sent Single Septe Lessus Lessus		2015 2015 2015	114	59 .410 05 - 1	pre-	1,1	y(č.) 7.	Taschinge been steel and pulp reduced sections in hourse, and was Companied to be been purposed assents, which is a first deposit in the first point in second in second section. Tascher of returnal deposits, while will be a due to promotive storage with:
1202 100 1		3536/64	1		196	130	13-15	des haups from fested et and atteiten in bateur. Connecte de membrada from tang Aprilland, comment et married disposits.
niestlan by	Producti	7615	T	1 0.14	nigit .	7.0	Main va	Use Let antiferin resent to confront management
10 # 4100	Vice the o	talle culterior	1evel potested	Runge of fromts    1 to Sample 5     To second     Hot /ACC/HEAL	Hail or Hayun	THERE	YEST RES	Littly Scattered & with the leave
reanic Cont	endoanis A	1 2011		96 36drgs	1 <u>pers</u>	1 7		Light one of during white, the times then total recovery orders of attained defects.  Conserve of pre-registed particles gentling or many of intend it follows to be larger than the conservery of the conservery
		2009	17.	He leanings	DL0		ALTE	Converse et leavestalle paperate é parence et resent d'abeteud dépends Franço la par l'artificie com l'archivit franço d'abeteu et reseau d'archivit parence de parence de parence de
Dicite (A) (Zica) infaction By 1711H (Telal	Product	1		tio hang-	1 795			The apreaduct or branking and or observation
MOST CONTRACT	4	2617		4	1.0.1		HANT -	
B 10 # 410 (Francisca	040 001/450 7/4	Date	1 Deterred	highle of threats a to Sanswes (Accepting FIGURALLY MEDI	Hint of Pressure meet	11/17/	7E57 RE	SOLT 8 THE PS SHARE SECTION AND ADDRESS OF THE SOLD ADDRESS OF THE
ganic Con	aminante		377	no lange	J. Chin		AL L	Destant of the second provided the second of
Lordin Lordin 1994 TERGOO		2011		No Barige	601 601 602 602	117	A 15	P. Frigoria (F. Frigoria) plantifier of section. We see a material depoint, to deline from the other presences of the presence
intection By	birmines	2611	]] [][] [] [] [] [] [] [] [] [] [] [] []	Ho Pange	Lap	15.00	100	the public of initialia water entermation.
of metanes: rap: 5 10 = 410		2017		4,-1,2	(19)		TESTRE	Water as during (3-3 to minuted individual)
District	Virging Su	Collecte Collecte	d instanted	Range of Datests  # 67 Samples   12074-0.09   H112/M12/H1894	Me alund Megalund Megen	1660	Het	Their states of Grandologica
ganic Cont Capper Istel	aleinanti L	2017		1 8	frei res	ų.	AL-1.	Contains of terral field principles of their resolution of institual deposits, terral from fining and the percentage
CHIN HAIN	.: 0	2 7077	751	no stance	196	6	40	try product of driving safety estimates
e de minore Stade Meilistration	1	1932	tr.	6 14	Paj-l	. 1 . 2	YEST RE	4 Totales arbains and to connect position.
s (b * 416 Contact	Vapares Val	Cole	level Numerica	Range, of Defects  Fiff Samples  Freeding  DEA/ACI/MEGA	Port of Margore March	rei	s not	
eganic Con I-diani Chiomine	taminant	- (917	1 12	11:13	Dini	1,3,	7	1 bir kang se hang senta, sepanga jum seta pilienes, estates a stain da eri. Bir kang pout seta Last papa min, errato, a nahuta tepanis.
Forting.	1	700	16	Nt Haage	7991 1997 1945 1998	19	AL 1	description from terrores and semination recovers
introller D	A-Stounc	7017		6-11	T. wgi		THECH	
(6.10 g.410	1043 Veologic	- ( PALA PARALAG	a Beterle	france of freeze frances frances frances frances frances	tisal of Systems mest	) Her	4 1801 1 1801	SUL IS Trickly Service of Contamonaphism
( lab said:	in Hines	112742	7.78	ne wings	i in the			[Confidence of different and C. Bertanger from the form to desire a model of the desire of the Confidence of the Confide
Preside	44	12615	its	No flance ty to flanci	ideo lideo lideo	16	A A	Germany men seed and page only, conveyed before seasons.  1 Expressed of homeomic principles of progress channels deposite the beginning them could produce the formation of making them on the net have seen to make the notices, seem of the makes the notices, seem of the progress of the
Lond sinfection R 11101 (Sea notherchare	Produs	1,7017	11.1.1	4r Range	1 1999	. 0.	LAU U	the herper of company masses consequences
noinprethane Grine	i.	1707	F	1	1 790	U		त्र । विद्वारत , महिलाका प्रकार के राजावाद कर विद्वारत ।